



systemy fix express
fix express

UCHWYT FIX EXPRESS/ FIX-EXPRESS SCHELLE/ FIX-EXPRESS CLIP/ COLLARE FIX EXPRESS



INDEX	Ø	x	y	z	kg				
FX12	10-12	30,00	16,00	26,06	4,7 g	●	100	A2	3000
FX15	14-16	37,62	16,00	26,09	6,3 g	●	100	A2	2000
FX18	16.5-20	41,20	16,00	26,20	6,3 g	●	100	A2	2000
FX22	20-23	42,70	16,00	26,21	7,2 g	●	100	A2	2000
FX26	25-29	48,00	16,00	36,00	8,8 g	●	50	A2	1500
FX32	32-35	55,80	16,00	40,00	11,5 g	●	50	A2	1000
FX42	40-45	64,25	16,00	50,40	14,8 g	●	25	A2	900
FX50	48-55	78,00	16,00	63,25	19,2 g	●	25	A2	900
FX60	58.5-65	90,00	16,00	73,00	23,4 g	●	20	A2	400

UCHWYT FIX EXPRESS PA6 Z NAKRĘTKĄ M6 DO MONTAŻU OSADZAKIEM FIXGUN/
GESCHLOSSENE FIX-EXPRESS SCHELLE/ FIX-EXPRESS CLIP M6 TO FIXGUN/ OLLARE FIX EXPRESS
CONDADO PER IL MONTAGGIO CON RIVETTATRICE A GAS



INDEX	Ø	x	y	z	kg				
FX12M6	10-12	30,00	16,00	26,06	6,2 g	●	100	A2	3000
FX15M6	14-16	37,62	16,00	26,09	7,8 g	●	100	A2	2000
FX18M6	16.5-20	41,20	16,00	26,20	7,8 g	●	100	A2	2000
FX22M6	20-23	42,70	16,00	26,21	8,7 g	●	100	A2	2000
FX26M6	25-29	48,00	16,00	36,00	10,3 g	●	50	A2	1500
FX32M6	32-35	55,80	16,00	40,00	13,0 g	●	50	A2	1000
FX42M6	40-45	64,25	16,00	50,40	16,3 g	●	25	A2	900
FX50M6	48-55	78,00	16,00	63,25	20,7 g	●	25	A2	900
FX60M6	58.5-65	90,00	16,00	73,00	24,9 g	●	20	A2	400

UCHWYT ZAMYKANY FIX EXPRESS ZE ŚRUBĄ I KOŁKIEM DO WSZYSTKICH TYPÓW PODŁOŻA/
GESCHLOSSENE FIX-EXPRESS SCHELLE/ FIX-EXPRESS CLIP WITH UNIVERSAL PLUG TO ALL KIND OF WALLS/
COLLARE FIX EXPRESS CON VITE E TASSELLO PER MONTAGGIO UNIVERSALE



INDEX	Ø	x	y	z	kg				
FX12CSD	10-12	30,00	16,00	26,06	7,9 g	●	100	A2	3000
FX15CSD	14-16	37,62	16,00	26,09	9,5 g	●	100	A2	2000
FX18CSD	16.5-20	41,20	16,00	26,20	9,5 g	●	100	A2	2000
FX22CSD	20-23	42,70	16,00	26,21	10,4	●	100	A2	2000
FX26CSD	25-29	48,00	16,00	36,00	12 g	●	50	A2	1500
FX32CSD	32-35	55,80	16,00	40,00	14,7 g	●	50	A2	1000
FX42CSD	40-55	64,25	16,00	50,40	18 g	●	25	A2	900
FX50CSD	48-45	78,00	16,00	63,25	22,4 g	●	25	A2	900
FX60CSD	58.5-65	90,00	16,00	73,00	26,6 g	●	20	A2	400

SZYNA PLASTIKOWA/ SCHIENE/ RAIL/ BINARIO IN PLASTICA



INDEX	x	y	z	kg			
FX-R1	1000,00	23,00	11,50	130 g	●	1	10

ADAPTER PODEJŚCIA GRZEJNIKA/ DOPPEL-VERBINDER/ RADIATOR ADAPTER/
ADATTATORE PER RADIATORE



INDEX	x	kg		
FX-D1	50,00	50 g	●	50

ŁĄCZNIK SZYNOWY/ SCHIENEN-ADAPTER/ RAIL CONNECTOR/ CONNETTORE DI BINARIO

INDEX	x	y	kg		
FXR3	25,80	18,90	1,7 g	○	50

BLOKADA SZYNOWA/ SCHIENEN-DISTANZHALTER/ RAIL STOP/ FERMA BINARIO

INDEX	x	y	kg		
FXR2	18,00	15,00	5 g	○	50

NAKRĘTKA MONTAŻOWA M6/ SCHIEBEMUTTER M6/ NUT M6/ DADO M6

INDEX	x	y	kg		
FXN1	10,00	10,00	1,5 g	○	50

ŚRUBA DWUGWINTOWA Z DYBLEM/ STOCKSCHRAUBE MIT DÜBEL/ DOUBLE THREADED SCREW WITH PULG/ VITE CON DOPPIO FILETTO E TASSELLO

INDEX	x	y	kg		
FXSD1	6x53	8x40	8,5 g		50

ŚRUBA SZYBKIEGO MONTAŻU Z DYBLEM/ SCHLAGSCHRAUBE MIT DÜBEL/ FAST ASSEMBLING SCREW WITH PLUG/ VITE PER MONTAGGIO VELOCE CON TASSELLO

INDEX	x	y	kg		
FXSD2	4x45	6x40	2,6 g		50

WKREŚ Z DYBLEM/ SCHRAUBE MIT DÜBEL/ SCREW WITH PLUG/ VITE CON TASSELLO

INDEX	x	y	kg		
FXSD3	4x45	8x40	3,2 g		50

OSADZAK GAZOWY DLA INSTALATORÓW I ELEKTRYKÓW/ FIX GUN/ FIXGUN ACTUATED TOOL FOR PLUMBERS AND ELECTRICIANS/ RIVETTATRICE A GAS

INDEX	
FIXGUN	1

GWOŹDZIE Z GAZEM DO BETONU NA PASKU PLASTIKOWYM 6x25 DO OSADZAKA FIXGUN/ NÄGEL MIT GAS FÜR DIE GASPISTOLE - FIXGUN/ COLATED NAILS FOR CONCRETE AND STEEL FIXGUN/ CHIODI CON GAS PER RIVETTATRICE

INDEX	
FIX6/25	100